

.....  
**Del Rey Tortilleria, Inc.**

September 24, 2004

Dept. of Health and Human Services  
Food and Drug Administration  
550 W. Jackson Blvd.  
Chicago, Il. 60661-4716  
312-353-5863 312-596-4187 fax

Dear Sir or Madam:

Re: observation inspection on 8/16/04, 8/20/04, 8/27/04 and 9/03/04

Observation 1

\* Disposed of roach immediately, also notified [redacted] our pest control service about tending more to that room for extra treatment.

\* Disposed of in garbage containers also added bleach to product. Was witnessed by Joseph. Cooper and Ana L. Kewes investigators of the FDA.

Observation 2

\* Sewer line was repaired within the last 2 weeks of this inspection. Sewer was cracked underground.

Observation 3

\* All myverol buckets were properly labeled.

\* All other white buckets labeled with ingredients to be used (salt, baking powder, calcium propionate [redacted] and water.

Observation 4

\* Fans were purchased new for that room.

Observation 5

.....

September 24, 2004

Page 2

- Was corrected 9/04/04
- Removed immediately to mechanics room to be stored
- Removed immediately to mechanics room to be stored

Observation 6

- container was labeled immediately for paprika
- container was labeled immediately for salt
- same as observation # 3 labeled all containers
- same as observation # 3 labeled all containers

Observation 7

- dock doors are now closed and screens are being made
- Cleaned immediately and notified orkin and maintenance men on checking glue boards more cleanliness in all areas.


Observation 8

- \* All was cleaned, swept and rubbish removed and disposed of properly. All pallets returned to all suppliers.

Observation 9

- \* Ceiling is in the process of being repaired within this coming year.

Sincerely,



Marcellina M. Toledo  
Manager